

OSHA Patent & Trademark Office  
Houston Center  
Suite 2800  
1221 McKinney Street  
Houston, Texas 77010

03-19-07  
OSHA • LIANG LLP

Telephone: 713.228.8600  
Facsimile: 713.228.8778  
firm@oshaliang.com  
www.oshaliang.com

March 16, 2007

**Express Mail No. EV882596045US**

M/S RCE  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: U.S. Patent Application No. 10/813,594  
TEST APPARATUS AND TEST METHOD  
Inventor(s): Seiji Ichiyoshi  
Filing Date: March 30, 2004  
Your Ref.: AD-0409US2; Our Ref.: 02008/106002


Dear Sir:

Further to our submission accompanying Request for Continued Examination that we previously filed on February 12, 2007, we are resubmitting the aforementioned document because our previous submission had the incorrect application number and title in the caption of the document.

Please see attached corrected Supplemental Submission Accompanying Request for Continued Examination which now has the correct application information on all pages. Applicant sincerely apologizes for this inadvertent error in the previous reply. Other than the changes in the application number of the attached submission, this reply is identical to the previously submitted reply filed on February 12, 2007.

Thank you for your attention to this matter. If you have any questions, please do not hesitate to contact us.

Very truly yours,

  
for Thomas K. Scherer

TKS/SXC/svh





Docket No.: 02008/106002  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of:  
Seiji Ichiyoshi

Confirmation No.: 4387

Application No.: 10/813,594

Art Unit: 2138

Filed: March 30, 2004

Examiner: Kerveros, James C

For: TEST APPARATUS AND TEST METHOD

**SUPPLEMENTAL SUBMISSION ACCOMPANYING REQUEST FOR CONTINUED  
EXAMINATION**

M/S RCE  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Further to the submission accompanying request for continued examination filed February 12, 2007, because the cover sheet of the request for continued examination shows the incorrect information on the application number and title, Applicant respectfully submits this substitute reply wherein the caption on the cover sheet shows the correct information. Applicant apologizes for this inadvertent mistake in the previous reply. Otherwise, this reply is identical to the previous reply filed February 12, 2007.